APPENDIX B

CLEAN VERSION OF PENDING CLAIMS

- 26. A solvent vehicle, comprising a pharmaceutically acceptable dipolar aprotic solvent and a pharmaceutically acceptable aqueous secondary solvent, substantially free of organic solvent.
- 27. The composition of claim 26, wherein said aprotic solvent comprises N,N-dimethylacetamide, castor oil, dimethylsulfoxide, 1,2,-propylene-diol, glycerol or polyethylene glycol-400.
- 28. The solvent vehicle of claim 27, wherein said aprotic solvent comprises N,N-dimethylacetamide.
- 29. The solvent vehicle of claim 27, wherein said aprotic solvent comprises castor oil.
- 30. The solvent vehicle of claim 27, wherein said aprotic solvent comprises dimethylsulfoxide.
- 31. The solvent vehicle of claim 27, wherein said aprotic solvent comprises 1,2,-propylene-diol.
- 32. The solvent vehicle of claim 27, wherein said aprotic solvent comprises glycerol.

- 33. The solvent vehicle of claim 27, wherein said aprotic solvent comprises polyethylene glycol-400.
- 34. The composition of claim 26, wherein said secondary solvent comprises aqueous lipid emulsion, water, saline solution, dextrose solution, glacial acetic acid, or lipid solution.
- 35. The solvent vehicle of claim 34, wherein said secondary solvent comprises an aqueous lipid emulsion.
- 36. The solvent vehicle of claim 35, wherein said aqueous lipid emulsion comprises emulsified fat particles of about 0.4 micron in diameter.
- 37. The solvent vehicle of claim 35, wherein said aqueous lipid emulsion comprises an aqueous soy bean lipid emulsion.
- 38. The solvent vehicle of claim 37, wherein said aqueous soy bean lipid emulsion comprises soy bean oil, lecithin, glycerin and water.
- 39. The solvent vehicle of claim 35, wherein said aqueous lipid emulsion comprises a lipid component that includes at least one vegetable oil and at least one fatty acid.
- 40. The solvent vehicle of claim 39, wherein said lipid component comprises at least about 5% by weight soybean oil and at least about 50% by weight fatty acids.

41.	The solvent vehicle of claim 34, wherein said said secondary solvent comprises water.	
42.	The solvent vehicle of claim 34, wherein said secondary solvent comprises saline on.	
43.	The solvent vehicle of claim 34, wherein said secondary solvent comprises dextrose on.	
44. dextro	The solvent vehicle of claim 43, wherein said dextrose solution comprises 5% to 70% see in water.	
45. dextro	The solvent vehicle of claim 44, wherein said dextrose solution comprises 5% or 10% se solution.	
46. acid.	The solvent vehicle of claim 34, wherein said secondary solvent comprises glacial acetic	
47.	The solvent vehicle of claim 26, wherein said secondary solvent comprises a lipid on.	
48.	The solvent vehicle of claim 26, wherein said secondary solvent comprises a parenteral on fluid.	
25035045.1		

- 49. The solvent vehicle of claim 26, wherein said composition further comprises an active agent, a drug, pharmaceutically acceptable carriers, adjuvants or biologically active substances.
- 50. The solvent vehicle of claim 26, wherein said solvent vehicle comprises anhydrous N,N-dimethylacetamide and polyethylene glycol-400.
- 51. The solvent vehicle of claim 26, wherein said solvent vehicle comprises glacial acetic acid and polyethylene glycol-400.
- 52. The solvent vehicle of claim 26, wherein said solvent vehicle comprises anhydrous N,N-dimethylacetamide and aqueous lipid.
- 53. The solvent vehicle of claim 52, wherein said aqueous lipid is an aqueous soy bean lipid emulsion comprising soy bean oil, lecithin, glycerin and water.
- 54. The solvent vehicle of claim 53, wherein said solvent vehicle comprises anhydrous N,N,-dimethylacetamide and an aqueous soy bean lipid emulsion comprising soy bean oil, lecithin, glycerin and water in a 1:10 volume ratio.
- 55. The solvent vehicle of claim 53, wherein said solvent vehicle comprises anhydrous N,N,-dimethylacetamide diluted with 9 volumes 20% of an aqueous soy bean lipid emulsion comprising soy bean oil, lecithin, glycerin and water.

- 56. The solvent vehicle of claim 53, wherein said solvent vehicle further comprises normal saline or 5% dextrose solution.
- 57. The solvent vehicle of claim 26, wherein said solvent vehicle comprises anhydrous N,N-dimethylacetamide, polyethylene glycol-400 and 1,2-propylene diol.
- 58. The solvent vehicle of claim 26, wherein said solvent vehicle comprises anhydrous N,N-dimethylacetamide, polyethylene glycol-400, 1,2-propylene diol and dimethylsulfoxide.
- 59. The solvent vehicle of claim 58, wherein said solvent vehicle comprises anhydrous N,N,-dimethylacetamide, polyethylene glycol-400, 1,2-propylene diol and dimethylsulfoxide in equal volume ratios.
- 60. The solvent vehicle of claim 26, wherein said vehicle comprises glacial acetic acid, and wherein said vehicle further comprises anhydrous N,N,-dimethylacetamide, dimethylsulfoxide or an aqueous soy bean lipid emulsion comprising soy bean oil, lecithin, glycerin and water.
- 61. The solvent vehicle of claim 26, wherein said solvent vehicle comprises glacial acetic acid, dimethylsulfoxide and an aqueous soy bean lipid emulsion comprising soy bean oil, lecithin, glycerin and water.

62.	The solvent vehicle of claim 61, wherein said solvent vehicle comprises glacial acetic	
acid, d	limethylsulfoxide, and an aqueous soy bean lipid emulsion comprising soy bean oil,	
lecithin, glycerin and water in a 2:6:3 volume ratio.		
63.	The solvent vehicle of claim 26, wherein said composition is administered to an animal.	
64.	The solvent vehicle of claim 26, wherein said composition is administered to a human.	
65.	The solvent vehicle of claim 26, wherein said composition is administered by parenteral	
injection.		
66.	The method of claim 65, wherein said parenteral injection is intravascular or intraveneous	
injection.		
67.	The solvent vehicle of claim 26, wherein said composition is administered as an aerosol.	
68.	The solvent vehicle of claim 26, wherein said vehicle is lyophilized.	